

**GEORGE CREEK  
DISTRIBUTION SYSTEM**

Daily Discharge Sheet and Commissioner's Monthly Report  
for the month of April, 1963.

		Day of Month---	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Ac. Ft.
U.S.G.S. Gaging Stn	"George Cr Mr Yost"																																	
Company Canyon Dvrs.																																		
K. Oman																																		
H. Oman																																		
J. Taylor																																		
M. Booth																																		
Creek	Lone Rock Divider																																	
Total George Creek Flow (Creek plus Canyon divs)																																		
Entries from flow chart Spencer Water																																		
Company Water	Period of Use (Irrigation) **																																	
Company Water EAST Br.	Apr 1	May 2																																
Company Water WEST Br.	Jly 1	Nov 15																																
Total COMPANY WATER	33/57	34/54																																
SPENCER water West Br.	24/57	23/54																																
Spencer stockwatering rt. *																																		
Byron L. Chadwick 0.8 cfs h.w. #																																		
Roy A. Teeter 1.5 cfs h.w. #																																		

This stockwatering right exists only during the low flow stockwatering periods when the flow of George Creek measured at the Lone Rock Divider is below 2.5 cfs.  
This is a percentage of the 66.0 cfs maximum allotted to the 1884 priorities, and also a percentage of the flow of George Creek between 2.5 cfs and 66.0 cfs.  
# Chadwick and Teeter high water rights are valid only when the flow of George Creek is above 66.0 cfs as measured at the Lone Rock Divider.  
(When the flow of George Creek, measured at the Lone Rock Divider, is 2.5 cfs or below, the water is to be used for stockwatering purposes only.)

Flow Chart 3.0 cfs to 30.0 cfs Total George Creek Flow

Monthly Ac.  
Ft. Total

Flow	Interest	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	
Company Water	33/57	1.7	2.3	2.9	3.5	4.1	4.6	5.2	5.8	6.4	6.9	7.5	8.1	8.7	9.3	9.8	10.4	11.0	11.6	12.1	12.7	13.3	13.9	14.5	15.0	15.6	16.2	16.8	17.4	18.0
Spencer Water	24/57	1.3	1.7	2.1	2.5	2.9	3.4	3.8	4.2	4.6	5.1	5.5	5.9	6.3	6.7	7.2	7.6	8.0	8.4	8.9	9.3	9.7	10.1	10.5	11.0	11.4	11.8	12.2	12.6	

Flow	Interest	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	
Company Water	31/54	1.7	2.3	2.8	3.4	4.0	4.6	5.2	5.7	6.3	6.9	7.5	8.0	8.6	9.2	9.8	10.3	10.9	11.5	12.1	12.6	13.2	13.8	14.4	14.9	15.5	16.1	16.7	17.2	17.8
Spencer Water	23/54	1.3	1.7	2.2	2.6	3.0	3.4	4.3	4.7	5.1	5.5	6.0	6.4	6.8	7.2	7.7	8.1	8.5	8.9	9.4	9.8	10.2	10.6	11.1	11.5	11.9	12.3	12.8		

Flow	Interest	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	
Company Water	31/54	1.7	2.3	2.8	3.4	4.0	4.6	5.2	5.7	6.3	6.9	7.5	8.0	8.6	9.2	9.8	10.3	10.9	11.5	12.1	12.6	13.2	13.8	14.4	14.9	15.5	16.1	16.7	17.2	17.8
Spencer Water	23/54	1.3	1.7	2.2	2.6	3.0	3.4	4.3	4.7	5.1	5.5	6.0	6.4	6.8	7.2	7.7	8.1	8.5	8.9	9.4	9.8	10.2	10.6	11.1	11.5	11.9	12.3	12.8		

(1.0 cfs equals 2.0 acre feet per day)

These flow entries represent the percentage flow interests in the total flow of George Creek, expressed in c.f.s.

Signed: Wallace B. Spencer  
GEORGE CREEK WATER COMMISSIONER

Started water turns April 28 at 0830 Last draw first turn  
for the Company.

**GEORGE CREEK  
DISTRIBUTION SYSTEM**

Daily Discharge Sheet and Commissioner's Monthly Report  
for the month of May, 1963.

		Day of Month---	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Ac. Ft.
U.S.G.S. Gaging Stn "George Cr m Yost"																																		
Company Canyon Divs.																																		
K. Oman																																		
H. Oman																																		
J. Taylor																																		
M. Booth																																		
Creek Lone Rock Divider																																		
Total George Creek Flow ( Creek plus Canyon divs)																																		
Entries from flow chart																																		
Spencer Water	Period of Use (Irrigation) **																																	
Company Water EAST Br.	Apr 1 Jly 1	Illy 2 Nov 15	43	361	344	413	449	524	554	43666	563	342	484	421	448	280	240	603	724	985	1140	1030	1140	1380	1600	1600	1720	1620	1630	1640	1840			
Company Water WEST Br.																																		
Total COMPANY WATER	33/57	34/54	543	361	344	413	449	524	554	43666	563	342	484	421	448	280	240	603	724	985	1140	1030	1140	1380	1600	1600	1720	1620	1630	1640	1840			
SPENCER water West Br.	24/57	23/54	361	265	250	294	326	413	563	328	468	413	395	344	328	344	431	295	449	603	752	866	938	1030	1160	1320	1400	1280	1420	1200	1400	1520	1600	
Spencer stockwatering rt. *																																		
Byron L. Chadwick 0.8 cfs h.w. #																																		
Roy A. Teeter 1.5 cfs h.w. #																																		

This stockwatering right exists only during the low flow stockwatering periods when the flow of George Creek measured at the Lone Rock Divider is below 2.5 cfs.

This is a percentage of the 66.0 cfs maximum allotted to the 1884 priorities, and also a percentage of the flow of George Creek between 2.5 cfs and 66.0 cfs.

# Chadwick and Teeter high water rights are valid only when the flow of George Creek is above 66.0 cfs as measured at the Lone Rock Divider. (When the flow of George Creek, measured at the Lone Rock Divider, is 2.5 cfs or below, the water is to be used for stockwatering purposes only).

Monthly Ac.  
Ft. Total

Flow	Interest	Flow Chart	3.0 cfs to 30.0 cfs	Total George Creek Flow	April 1 to July 1	July 2 to Nov. 15																								
Company Water	33/57	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	31
Spencer Water	24/57	1.7	2.3	2.9	3.5	4.1	4.6	5.2	5.8	6.4	6.9	7.5	8.1	8.7	9.3	9.8	10.4	11.0	11.6	12.1	12.7	13.3	13.9	14.5	15.0	15.6	16.2	16.8	17.4	17.9
Company Water	31/54	1.7	2.3	2.8	3.4	4.0	4.6	5.2	5.7	6.3	6.9	7.5	8.0	8.6	9.2	9.8	10.3	10.9	11.5	12.1	12.6	13.2	13.8	14.4	14.9	15.5	16.1	16.7	17.2	17.8
Spencer Water	23/54	1.3	1.7	2.2	2.6	3.0	3.4	4.3	4.7	5.1	5.5	6.0	6.4	6.8	7.2	7.7	8.1	8.5	8.9	9.4	9.8	10.2	10.6	11.1	11.5	12.3	12.8	13.2	13.7	

(1.0 cfs equals 2.0 acre feet per day)

These flow entries represent the percentage flow interests in the total flow of George Creek, expressed in c.f.s.

Signed: \_\_\_\_\_  
GEORGE CREEK WATER COMMISSIONER

**GEORGE CREEK  
DISTRIBUTION SYSTEM**

Daily Discharge Sheet and Commissioner's Monthly Report  
for the month of June, 1963.

	Day of Month---	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Ac. Ft.
U.S. G. S. Gaging Sta "George Cr m Yost"																																	
Company Canyon Divs.	Jule Montague	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2	3/2			
K. Oman																																	
H. Oman																																	
L. Taylor																																	
M. Booth																																	
Creek Lone Rock Divider																																	
Total George Creek Flow ( Creek plus Canyon divs)		3452	3186	3560	3234	3197	3260	3051	2595																								
Entries from flow chart																																	
Spencer Water	Period of Use (Irrigation) **																																
Company Water																																	
Company Water EAST Br.	Apr 1 Jly 1	Jly 2 Nov 15	15.50	13.20	12.10	11.6	11.0	8.81	32.60																								
Company Water WEST Br.			4.26	4.34	4.36	4.26	4.26	4.26	4.26																								
Total COMPANY WATER	33/57	31/54	18.22	18.36	20.65	20.64	19.13	19.16	19.12																								
SPENCER water West Br.	24/57	23/54	12.90	12.80	15.04	13.80	12.80	13.44	9.39																								
Spencer stockwatering rt. *																																	
Byron L. <del>Spencer</del>																																	
Ray A. Teeter 1.5 cfs h.w. #																																	
76m																																	

This stockwatering right exists only during the low flow stockwatering periods when the flow of George Creek measured at the Lone Rock Divider is below 2.5 cfs. This is a percentage of the 66.0 cfs maximum allotted to the 1884 priorities, and also a percentage of the flow of George Creek between 2.5 cfs and 66.0 cfs. # Chadwick and Teeter high water rights are valid only when the flow of George Creek is above 66.0 cfs as measured at the Lone Rock Divider. (When the flow of George Creek, measured at the Lone Rock Divider, is 2.5 cfs or below, the water is to be used for stockwatering purposes only.

Monthly Ac.  
Ft. Total

Flow	Interest	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	Ac. Ft.
Company Water	33/57	1.7	2.3	2.9	3.5	4.1	4.6	5.2	5.8	6.4	6.9	7.5	8.1	8.7	9.3	9.8	10.4	11.0	11.6	12.1	12.7	13.3	13.9	14.5	15.0	15.6	16.2	16.8	17.4	18.0
Spencer Water	24/57	1.3	1.7	2.1	2.5	2.9	3.4	3.8	4.2	4.6	5.1	5.5	5.9	6.3	6.7	7.2	7.6	8.0	8.4	8.9	9.3	9.7	10.1	10.5	11.0	11.4	11.8	12.2	12.6	
Company Water	31/54	1.7	2.3	2.8	3.4	4.0	4.6	5.2	5.7	6.3	6.9	7.5	8.0	8.6	9.2	9.8	10.3	10.9	11.5	12.1	12.6	13.2	13.8	14.4	14.9	15.5	16.1	16.7	17.2	17.8
Spencer Water	23/54	1.3	1.7	2.2	2.6	3.0	3.4	3.8	4.3	4.7	5.1	5.5	6.0	6.4	6.8	7.2	7.6	8.1	8.5	8.9	9.4	9.8	10.2	10.6	11.1	11.5	11.9	12.3	12.8	

(1.0 cfs equals 2.0 acre feet per day)

These flow entries represent the percentage flow interests in the total flow of George Creek, expressed in c.f.s.

Signed: \_\_\_\_\_

GEORGE CREEK WATER COMMISSIONER

Starting June 10, turned everyone water

Between June 10 and June 29, new made  
a total flow measurement between these dates

**G E O R G E   C R E E K  
D I S T R I B U T I O N   S Y S T E M**

Daily Discharge Sheet and Commissioner's Monthly Report  
for the month of July, 1963.

		Day of Month---	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Ac. Rt.
U.S. G.S. Gaging Stn "George Cr m'r Yost"																																		
Company Canyon Divs. K. Oman H. Oman J. Taylor M. Booth																																		
Creek Lone Rock Divider																																		
total George Creek Flow (Greek plus Canyon divs)																																		
Entries from flow chart Spencer Water																																		
Company Water	Period of Use (Irrigation) **																																	
Company Water EAST Br.	Apr 1	Jly 2																																
Company Water WEST Br.		Nov 15	19.8	14.6	8.4	4.4	2.5	1.4	0.7	0.4	0.2	0.1																						
Total COMPANY WATER	33/57	34/54	11.09	10.93	9.2	6.52	4.75	3.14	1.73	0.83	0.41	0.21																						
SPENCER water West Br.	24/57	23/54	7.97	7.97	5.20	4.09	3.63	3.24	2.68	2.22	1.66	1.22																						
Spencer stockwatering rt. *																																		
Byron L. Chadwick 0.8 cfs h.w. #																																		
Roy A. Teeter 1.5 cfs h.w. #																																		

This stockwatering right exists only during the low flow stockwatering periods when the flow of George Creek measured at the Lone Rock Divider is below 2.5 cfs.  
\* This is a percentage of the 66.0 cfs maximum allotted to the 1884 priorities, and also a percentage of the flow of George Creek between 2.5 cfs and 66.0 cfs.  
# Chadwick and Teeter high water rights are valid only when the flow of George Creek is above 66.0 cfs as measured at the Lone Rock Divider.  
(When the flow of George Creek, measured at the Lone Rock Divider, is 2.5 cfs or below, the water is to be used for stockwatering purposes only.)

Flow Chart 3.0 cfs to 30.0 cfs Total George Creek Flow

Monthly Ac.  
Ft. Total

Flow Company Water	Interest	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0 A April 1 to July 1	
Spencer Water	33/57	1.7	2.3	3.5	4.1	4.6	5.2	5.8	6.4	6.9	7.5	8.1	8.7	9.3	9.8	10.4	11.0	11.6	12.1	12.7	13.3	13.9	14.5	15.0	15.6	16.2	16.8	17.4	2.56	
Spencer Water	24/57	1.3	1.7	2.1	2.5	2.9	3.4	3.8	4.2	4.6	5.1	5.5	5.9	6.3	6.7	7.2	7.6	8.0	8.4	8.9	9.3	9.7	10.1	10.5	11.0	11.4	11.8	12.2	12.6	
Company Water	31/54	1.7	2.3	2.8	3.4	4.0	4.6	5.2	5.7	6.3	6.9	7.5	8.0	8.6	9.2	9.8	10.3	10.9	11.5	12.1	12.6	13.2	13.8	14.4	14.9	15.5	16.1	16.7	17.2	17.8 July 2 to Nov. 15
Spencer Water	23/54	1.3	1.7	2.2	2.6	3.0	3.4	3.8	4.3	4.7	5.1	5.5	6.0	6.4	6.8	7.2	7.7	8.1	8.5	8.9	9.4	10.2	10.6	11.1	11.5	12.3	12.8			

(1.0 cfs equals 2.0 acre feet per day)

\*These flow entries represent the percentage flow interests in the total flow of George Creek, expressed in c.f.s.

Signed:

GEORGE CREEK WATER COMMISSIONER

**GEORGE CREEK  
DISTRIBUTION SYSTEM**

Daily Discharge Sheet and Commissioner's Monthly Report  
for the month of Aug., 1963.

		Day of Month----	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	Ac. Ft.
U.S.G.S. Gaging Sta "George Cr Mr Yost"																																		
Company Canyon Divs.																																		
K. Oman																																		
H. Oman																																		
J. Taylor																																		
M. Booth																																		
Creek Lone Rock Divider																																		
Total George Creek Flow (Creek plus Canyon divs)																																		
Entries from flow chart																																		
Spencer Water	Period of Use (Irrigation) **																																	
Company Water																																		
Company Water EAST Br.	Apr 1 Jly 1	Jly 2 Nov 15																																
Company Water WEST Br.																																		
Total COMPANY WATER	33/57	34/54																																
SPENCER water West Br.	24/57	23/54																																
Spencer stockwatering rt. *																																		
Byron L. Chadwick 0.8 cfs h.w. #																																		
Roy A. Teeter 1.5 cfs h.w. #																																		

This stockwatering right exists only during the low flow stockwatering periods when the flow of George Creek measured at the Lone Rock Divider is below 2.5 cfs. This is a percentage of the 66.0 cfs maximum allotted to the 1884 priorities, and also a percentage of the flow of George Creek between 2.5 cfs and 66.0 cfs. # Chadwick and Teeter high water rights are valid only when the flow of George Creek is above 66.0 cfs as measured at the Lone Rock Divider. (When the flow of George Creek, measured at the Lone Rock Divider, is 2.5 cfs or below, the water is to be used for stockwatering purposes only.)

Monthly Ac.  
Ft. Total

Flow Chart 3.0 cfs to 30.0 cfs Total George Creek Flow

Company Water	Interest	3.0	4.0	5.0	6.0	7.0	8.0	9.0	10.0	11.0	12.0	13.0	14.0	15.0	16.0	17.0	18.0	19.0	20.0	21.0	22.0	23.0	24.0	25.0	26.0	27.0	28.0	29.0	30.0	April 1 to July 1	
Spencer Water	33/57	1.7	2.3	2.9	3.5	4.1	4.6	5.2	5.8	6.4	6.9	7.5	8.1	8.7	9.3	9.8	10.4	11.0	11.6	12.1	12.7	13.3	13.9	14.5	15.0	15.6	16.2	16.8	17.4	18.0	
Spencer Water	24/57	1.3	1.7	2.1	2.5	2.9	3.4	3.8	4.2	4.6	5.1	5.5	5.9	6.3	6.7	7.2	7.6	8.0	8.4	8.9	9.3	9.7	10.1	10.5	11.0	11.4	11.8	12.2	12.6	13.0	
Company Water	31/54	1.7	2.3	2.8	3.4	4.0	4.6	5.2	5.7	6.3	6.9	7.5	8.0	8.6	9.2	9.8	10.3	10.9	11.5	12.1	12.6	13.2	13.8	14.4	14.9	15.5	16.1	16.7	17.2	17.8	July 2 to Nov. 15
Spencer Water	23/54	1.3	1.7	2.2	2.6	3.0	3.4	3.8	4.3	4.7	5.1	5.5	6.0	6.4	6.8	7.2	7.7	8.1	8.5	8.9	9.4	9.8	10.2	10.6	11.1	11.5	11.9	12.3	12.8	13.2	13.8

(1.0 cfs equals 2.0 acre feet per day)

These flow entries represent the percentage flow interests in the total flow of George Creek, expressed in c.f.s.

Signed: GEORGE CREEK WATER COMMISSIONER

Started time time Aug 20, all water  
together. Continuing the till Oct. 1  
124 hrs to Spencer creek since 7 9 day notation.